








## Lista de Pret Gree 1din 2018 (valabila din 15 Februarie 2018)


### Echipeamente pentru aplicatii REZIDENTIALE - Gama RAC

Categorie	Serie	Tehnologie	Model	Capacitate racire nominal (min/max) [BTU/h]	Capacitate incalzire nominal (min/max) [BTU/h]	Clasa eficienta energetica racire /SEER	Clasa eficienta energetica incalzire/SCOP	Pret (RON fara TVA)
De Perete mono-split	 BORA Inverter A5	ALL DC G10 Inverter Filtru Catechin WI-FI Controller	GWH09AAB-K3DNA5A cu KIT INSTALARE inclus	8,530 (1,700/11500)	8,530 (1,700/12,000)	A++/6.1	A+/4.0	1,395
			GWH12AAB-K3DNA5A cu KIT INSTALARE inclus	10,920 (/2,050/12,290)	11,260 (2,050/12,970)	A++ /6.1	A+/4.0	1,495
			GWH18AAD-K3DNA5E	15,700 (2,220/17,750)	17,060 (2,390/18,000)	A++ /6.1	A+/4.0	2,495
			GWH24AAD-K3DNA5A	21,000 (5,970/21,500)	21,150 (5,970/23,030)	A++/6.3	A+/4.0	3,155
	 VIOLA Inverter A3	ALL DC G10 Inverter COLD PLASMA GENERATOR WI-FI CONTROLLER	GWH09RA-K3DNA3H	8,530 (2,050/9,560)	9,385 (2,050/10,240)	A++ /6.1	A+/4.0	1,490
			GWH12RA-K3DNA3M	10,920 (/2,050/12,970)	12,150 (2,050/12,970)	A++ /6.1	A+/4.0	1,590
			GWH18RC-K3DNA3H	15,700 (2,220/17,750)	17,400 (2,390/18,100)	A++ /6.1	A+/4.2	2,590
			GWH24RD-K3DNA3H	20,815 (4,300/22,520)	21,500 (3,820/23,200)	A++ /6.6	A+/4.0	3,330
	 VIOLA Inverter A5	ALL DC G10 Inverter COLD PLASMA GENERATOR WI-FI CONTROLLER	GWH09RA-K3DNA5H cu KIT INSTALARE inclus	8,530 (2,050/9,560)	9,385 (2,050/10,240)	A++ /6.1	A+/4.0	1,470
	 U-Crown	ALL DC G10 Inverter 2 Stage Compressor	GWH09UB-K3DNA4F	8,870 (1,330/13,650)	10,240 (1,910/16,380)	A++/7.5	A++/4.6	3,606
GWH12UB-K3DNA4F			11,950 (1,330/15,190)	12,290 (1,910/18,430)	A++/7.0	A++/4.6	3,782	


Categorie	Serie Fancy	Model	Debit de aer	Volum de dezumidificare [l/zi]	Alimentare Electrica [Ph, V, Hz]	Pret (RON fara TVA)
Dezumidicator		GDN16AJ-K4EBC1A	115/100	16	1, 220-240, 50	710
Categorie	Serie	Model	Tipul purificarii	Volum de dezumidificare [l/zi]	Alimentare Electrica [Ph, V, Hz]	Pret (RON fara TVA)
Purificator de aer	 Purificator de aer	GCF300CKNA	Filtru HEPA	180	1, 220-240, 50	676

Categorie	Serie Fresh Wind	Tehnologie	Model	Capacitate racire nominal ( min/max ) [BTU/h]	Capacitate incalzire nominal (min/max) [BTU/h]	Clasa eficienta energetica racire /SEER	Clasa eficienta energetica incalzire / SCOP	Pret (RON fara TVA)
Coloana de podea mono-split		DC Inverter	GVH48AH-M3DNA5A	41,000 (10,230/44,350)	46,400(11,600/47,700)	A/5.1	A/3.8	8,170

**Sisteme MULTI**



Categorie	Serie Free March	Tehnologie	Model	Capacitate racire nominal ( min/max ) [BTU/h]	Capacitate incalzire nominal (min/max) [BTU/h]	Clasa eficienta energetica racire (SEER)	Clasa eficienta energetica incalzire (SCOP)	Pret (RON fara TVA)
Unitati exterioare		DC Inverter	GWHD(18)NK3KO	17,700 (7,300/18,800)	18,400 (8,800/18,800)	A++/6.1	A+/4.0	2,655
			GWHD(24)NK3MO	24,200 (7,800/29,000)	29,000 (12,500/30,000)	A++/6.1	A+/4.0	3,554
			GWHD(36)NK3BO	35,800 (7,160/37,500)	40,900 (8,800/44,300)	A/5.5	A/3.8	5,474
			GWHD(42)NK3AO	41,200 (7,100/46,300)	44,300 (8,800/47,700)	/	/	5,981

Nota: \* Clasa de eficienta energetica determinata in conformitate cu Directiva 2002/31/CE


Categorie	Serie Free Match	Tehnologie	Model	Capacitate Racire [BTU/h]	Capacitate incalzire [BTU/h]	Pret (RON fara TVA)
Unitati interioare de perete		DC Inverter	GWH(09)MA-K3DNA3L/I	8,500	9,400	507
			GWH(12)MB-K3DNA3L/I	10,900	11,600	557
			GWH(18)MC-K3DNA3G/I	18,000	19,800	670

Categorie	Denumire	Funcții	Pret (RON fara TVA)
ACCESORII	CE50-24/E SMART ZONE CONTROLLER	Poate controla pana la 16 unitati interioare U Match	374


## Echipe pentru aplicatii COMERCIALE simple – Gama LCAC

Categorie	Serie U-Match	Tehnologie	Model	Capacitate racire nominal ( min/max ) [BTU/h]	Capacitate incalzire nominal ( min/max ) [BTU/h]	Clasa eficienta energetica racire /SEER	Clasa eficienta energetica incalzire / SCOP	Pret (RON fara TVA)
Caseta de tavan cu refluxare in 4 directii 670x670x50 mm mono-split		DC Inverter	GKH12K3FI-GUHD12NK3FO	12,000 (3,070/13,300)	13,000 (3,070/14,000)	A+/5.6	A+/4.0	3,843
			GKH18K3FI-GUHD18NK3FO	17,050 (5,450/19,800)	18,750 (4,770/22,160)	A+/5.6	A/3.8	4,780
GKH24K3FI-GUHD24NK3FO			24,000 (8,200/29,000)	27,300 (8,200/32,400)	A++/6.1	A+/4.0	6,131	
GKH36K3FI-GUHD36NK3FO			32,100 (10,900/39,240)	40,950 (9,900/49,480)	A++/6.1	A+/4.0	7,821	
GKH42K3FI-GUHD42NK3FO			3,750 (11,300/41,000)	42,650 (12,300/51,200)	A+/5.6	A+/4.0	8,127	
Caseta de tavan cu refluxare in 4 directii 950x950x60 mm mono-split				GKH48K3FI-GUHD48NK3FO (monofazata)	47,800 (20,500/50,500)	54,600 (17,800/61,500)	A++/6.1	A/3.8
Caseta de tavan cu refluxare in 4 directii 1040x1040x65 mm mono-split								

\* Telecomanda fara fir YB1FA inclusa

Categorie	Serie U -Match	Tehnologie	Model	Capacitate racire nominal ( min/max ) [BTU/h]	Capacitate incalzire nominal ( min/max ) [BTU/h]	Clasa eficienta energetica racire /SEER	Clasa eficienta energetica incalzire / SCOP	Pret (RON fara TVA)
Duct Mono-split		DC Inverter	GFH09K3FI-GUHD09NK3FO	9,200 (2,730/11,600)	9,900 (2,730/12,600)	A+/5.6	A/3.8	3,657
			GFH12K3FI-GUHD12NK3FO	12,000 (3,070/12,600)	13,000 (3,070/14,000)	A+/5.6	A+/4.0	3,911
			GFH18K3FI-GUHD18NK3FO	17,000 (5,500/18,800)	19,100 (4,700/23,200)	A+/5.6	A/3.8	4,838
			GFH24K3FI-GUHD24NK3FO	24,000 (7,500/29,000)	27,300 (8,200/32,400)	A++/6.1	A+/4.0	5,784
			GFH36K3FI-GUHD36NK3FO	34,000 (10,900/39,200)	40,900 (9,900/49,500)	A+/5.6	A+/4.0	7,792
			GFH42K3FI-GUHD42NK3FO	39,400 (12,300/42,700)	46,000 (13,300/52,900)	A+/5.6	A/3.8	8,195
			GFH48K3FI-GUHD48NK3FO (monofazat)	47,800 (20,500/49,500)	53,000 (17,800/58,000)	A++/6.1	A/3.8	10,428
			GFH48K3FI-GUHD48NM3FO (trifazat)	47,800 (20,500/49,500)	53,000 (17,800/58,000)	A++/6.1	A/3.8	11,510
			GFH60K3FI-GUHD60NM3FO (trifazat)	54,600 (25,200/56,300)	56,300 (21,100/62,400)	A+/5.6	A/3.8	12,089
	Constant Speed			GFH48K3HI-GUHD48NM3HO (trifazat)	47,770	51,180	2.8	3.1
			GFH60K3HI-GUHD60NM3HO (trifazat)	54,600	61,420	2.8	3.2	8,149

\* Telecomanda cu fir XK60 inclusa

Categorie	Serie U _Match	Tehnologie	Model	Capacitate racire nominal ( min/max ) [BTU/h]	Capacitate incalzire nominal ( min/max ) [BTU/h]	Clasa eficienta energetica racire /SEER	Clasa eficienta energetica incalzire / SCOP	Pret (RON fara TVA)
Podea-Tavan mono-split		DC Inverter	GTH18K3FI-GUHD18NK3FO	17,060 (5,460/19,790)	19,110 (4,780/23,200)	A++/6.1	A+/4.0	5,185
			GTH24K3FI-GUHD24NK3FO	23,890 (8,190/27,980)	27,300 (8,190/30,700)	A+/5.6	A+/4.0	6,131

\* Telecomanda fara fir YB1FA inclusa